



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/657,041

09/05/2000

Leonard Pinchuk

93-P0241US08[209.1580001]

9622

54953

7590

12/03/2012

BROOKS, CAMERON & HUEBSCH, PLLC

1221 NICOLLET AVENUE

SUITE 500

MINNEAPOLIS, MN 55403

EXAMINER

SEVERSON, RYAN J

ART UNIT

PAPER NUMBER

3731

MAIL DATE

DELIVERY MODE

12/03/2012

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



## **DETAILED ACTION**

### ***Drawings***

1. The drawings are objected to because amended figures 16 and 17 are not labeled as "Amended" (see 37 CFR 1.173(b)(3)). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Specification***

2. Examiner here notes that per 37 CFR 1.173, the specification is to be provided in double column format. The specification submitted originally was in single column format, and the subsequent amendments refer to that single column format.

Art Unit: 3731

3. Examiner suggests applicant submit a complete specification in double column format that includes ALL of the amendments made to the specification subsequent to the issuance of the original patent (5,855,598). All of those amendments should be shown using the markings outlined in 37 CFR 1.173 (i.e. additions to the specification shown by underlining, and deletions from the specification shown within single brackets; noting that striking through deleted subject matter does *not* conform to the requirements of 37 CFR 1.173).

4. Examiner further points out that because amendments made by Certificate of Correction in the original patent are considered to be a part of the original patent, those amendments do not need to be shown as added or deleted by underlining or enclosure in single brackets. Those amendments should, however, be shown as part of the text of the specification.

#### ***Allowable Subject Matter***

5. Claims 1-30, 40, 42 and 59 are allowed.

#### ***Response to Amendment***

6. Should applicant have any questions or comments regarding this action, applicant is encouraged to contact the Examiner at the number below.

#### ***Conclusion***

7. This application is in condition for allowance except for the formal matters outlined above.

8. Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

9. A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan Severson whose telephone number is (571) 272-3142. The examiner can normally be reached on Monday-Friday, 9:00 a.m. - 5:30 p.m.

11. If attempts to reach the examiner by telephone are unsuccessful, ***please contact the examiner's supervisor, Tom Hughes, at (571) 272-4357.*** The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

12. ***If there are any inquiries that are not being addressed by first contacting the Examiner or the Supervisor, you may send an email inquiry to***

***TC3700\_Workgroup\_D\_Inquiries@uspto.gov.***

13. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ryan J Severson/  
Primary Examiner, Art Unit 3731